

Product range

Quality
ensures your
success

Novopress
Pipe connecting
technology

novopress

novopress

Novopress Quality

With our range of pressing tools we set the benchmark on an higher level.

Novopress Basic-Line

- Straightforward design for safe working

Novopress Comfort-Line

- Safety- and comfort features (fully automatic pressing cycle, log book, battery-empty-detection, etc)

ACO102 Comfort-Line

Pressing range: up to 28 (35) mm metal
up to 40 mm plastics

Weight incl. batt.: 1.7 kg

L x W x H: 319 x 96 x 70 mm

Force / Stroke: 19 kN / 30 mm



EFP2 Basic-Line

Pressing range: up to 54 (108) mm metal
up to 110 mm plastics

Weight: 6.1 kg

L x W x H: 450 x 85 x 190 mm

Force / Stroke: 32 kN / 40 mm



ACO202 Comfort-Line

Pressing range: up to 54 (108) mm metal
up to 110 mm plastics

Weight incl. batt.: 3.3 kg

L x W x H: 410 x 80 x 125 mm

Force / Stroke: 32 kN / 40 mm



ECO202 Comfort-Line

Pressing range: up to 54 (108) mm metal
up to 110 mm plastics

Weight: 3.9 kg

L x W x H: 429 x 72 x 92 mm

Force / Stroke: 32 kN / 40 mm



Pressing tools

AFP202 Basic-Line

Pressing range: up to 54 (108) mm metal
up to 110 mm plastics

Weight incl. batt.: 3.9 kg

L x W x H: 385 x 85 x 240 mm

Force / Stroke: 32 kN / 40 mm



EFP202 Basic-Line

Pressing range: up to 54 (108) mm metal
up to 110 mm plastics

Weight: 4.1 kg

L x W x H: 446 x 85 x 220 mm

Force / Stroke: 32 kN / 40 mm



ECO301 Comfort-Line

Pressing range: up to 108 mm metal
up to 63 mm plastics

Weight: 5.0 kg

L x W x H: 420 x 110 x 85 mm

Force / Stroke: max. 45 kN / 45 mm



ACO401 Comfort-Line

Pressing range: 76.1 - 168.3 mm metal

Weight incl. batt.: 13.0 kg

L x W x H: 660 x 100 x 250 mm


Force / Stroke: 100 kN / 60 mm



Axial pressing tools

AAP102

Pressing range: up to 40 mm plastics
Weight incl. batt.: 2.2 kg
L x W x H: 325 x 69 x 195 mm
Pressing force: system related



AXI102

Pressing range: up to 40 mm plastics
Weight incl. batt.: 1.9 kg
L x W x H: 320 x 69 x 119 mm
Pressing force: system related



Sliding jaw SB203, SB204

Suitable for EFP2, ACO202,
ECO202, AFP202, EFP202

SB204:
14 - 40 mm
SB203:
40 - 63 mm



Press jaws PB1

Suitable for ACO102

Metal pipe systems:

12 - 28 (35) mm

Plastic pipe systems:

16 - 40 mm



Press jaws PB2

Suitable for EFP2, ACO202,
ECO202, AFP202, EFP202

Metal pipe systems:

12 - 35 mm

Plastic pipe systems:

16 - 50 mm



Press jaws PB3

Suitable for ECO301

Metal pipe systems:

12 - 35 mm



Press collars

Press collars with adaptor jaw ZB203

Suitable for EFP2, ACO202,
ECO202, AFP202, EFP202

Metal pipe systems:

42 - 54 mm

Plastic pipe systems:

40 - 63 mm



Press collars with adaptor jaw ZB303

Suitable for ECO301

Metal pipe systems:

42 - 54 mm

HP 28 - 54 mm

Plastic pipe systems:

40 - 63 mm



Press collars with adaptor jaws ZB323/324

Suitable for ECO301

Metal pipe systems: 64 - 108 mm



Press collars

Suitable for ACO401

Metal pipe systems:
HP 76.1 - 108 mm
114.3 - 168.3 mm



novopress

Our service pays off
for you

Our worldwide established service-partners and certainly our own service-workshop in Neuss ensure steady and reliable operation of the pressing tools and highest safety for your pressed joints. For more information about our services or the time-

table of our mobile service-truck, please do not hesitate to contact us by phone
+49 - 2131 - 288 0

A list of our worldwide established service-partners can be downloaded on our internet site
www.novopress.com

The logo features the word "novopress" in a bold, italicized, sans-serif font. The letter "o" is replaced by a red square with a white dot in the center, resembling a stylized eye or a specific symbol.

Novopress GmbH & Co. KG
Scharnhorststraße 1 · D-41460 Neuss
Tel.: +49(0)2131-288-0 · Fax: +49(0)2131-288-55
www.novopress.de · E-Mail: verkauf@novopress.de